



Chain of Custody

Criterion Project #
(Laboratory use only)

Customer Information		Billing Information		Turn Around Time (TAT)
Company Name:		Company Name: <input type="checkbox"/> Same as customer info		<input type="checkbox"/> 3-Hour* (Note 1) <input type="checkbox"/> 6-Hour* (Note 2) <input type="checkbox"/> 24-Hour <input type="checkbox"/> 48-Hour <input type="checkbox"/> 72-Hour <input type="checkbox"/> 96-Hour <input type="checkbox"/> 1-Week <input type="checkbox"/> 2-Week
Contact Name:		Contact Name:		
Street Address:		Street Address:		
City, State, ZIP:	Country:	City, State, ZIP:	Country:	
Phone:	Email(s) for Report:	Phone:	Email(s) for Invoice:	
Project Information				
Street Address:		City, State, ZIP:		
Contract Information				
Criterion Proposal # (if applicable):		P.O. Number associated with Project (if applicable):		
Notes: Note 1: 3-Hour samples must be dropped off before 12:00pm for same day results Note 2: 6-Hour samples must be dropped off before 9:00am for same day results Note: Specific TATs depend on test requested; not all TATs are available for all analyses. Note: Analyses with a ""*"" can be analyzed for PA DEP compliance				
Asbestos Testing	Lead Testing	Environmental Microbiology Testing	Water Testing	
<u>Air</u> <input type="checkbox"/> NIOSH 7400 (PCM) <u>Bulk Building Materials</u> <input type="checkbox"/> EPA 600/R-93/116 (PLM) <u>Soil, Dust, Vermiculite</u> <input type="checkbox"/> ASTM D7521 (Sieve Method)	<u>Wipes, Paint, Air</u> <input type="checkbox"/> Air NIOSH 7082 <input type="checkbox"/> Paint Chips SW-846-7000B <input type="checkbox"/> Soil SW-846-7000B <input type="checkbox"/> Settled Dust Surface Wipes SW-846-7000B (Complies with City of Philadelphia) <input type="checkbox"/> Colorimetric <u>X-Ray Fluorescence</u> <input type="checkbox"/> Paint ASTM F2853-10	<u>Air</u> <input type="checkbox"/> Air-O-Cell ASTM D7391 <input type="checkbox"/> Bioaerosols Fungi CLI-340 <input type="checkbox"/> Bioaerosols Bacteria CLI-340 <u>Bulk/Swab/Surface Samples</u> <input type="checkbox"/> Identification of Fungal Structures with Direct Examination collected by Tape Lift, Bulk, Swab, Wipe ASTM D7658 <u>Endotoxin</u> <input type="checkbox"/> Bacterial Endotoxins CLI-403	<u>Organic and Inorganic Contaminants</u> <input type="checkbox"/> Individual Elements EPA 200.5* (Pb, Cu, As, Ba, Be, Cd, Cr, Se, Ag, Mn, & Fe) <input type="checkbox"/> Lithium (Li) EPA 200.7 <input type="checkbox"/> Inorganic Ions EPA 300.1* <input type="checkbox"/> Purgeable Organic Compounds (VOCs) EPA 524.4* <input type="checkbox"/> PFO, PFOS EPA 533* <input type="checkbox"/> PFAS25 EPA 533* <input type="checkbox"/> Select PFAS Compounds EPA 537.1* <input type="checkbox"/> Haloacetic Acid & Dalapon EPA 552.3* <u>Microbiological Contaminants</u> <input type="checkbox"/> Heterotrophic Plate Count (HPC) EPA SM9215B* <input type="checkbox"/> Coliform/E. coli via Colilert (Presence/Absence) EPA SM9223*	
Indoor Air Quality (IAQ) Testing				
<u>Dust Characterization</u> <input type="checkbox"/> EPA 600/R-93/116 and SM D7391-09	<u>Nuisance and Respirable Dust</u> <input type="checkbox"/> Respirable Dust (Inclusive of Diesel Particulate Matter) NIOSH 0500	Other (Specify): <input type="checkbox"/> _____ <input type="checkbox"/> _____		
Special Instructions/Comments:				
Relinquished by (Print/Sign):		Date / Time:	Sampled By (Print/Sign):	Date / Time:

